

**\* MATERIAL SAFETY DATA SHEET \*****FOR CHEMICAL EMERGENCY CALL INFOTRAC: 1-800-535-5053**

DISTRIBUTED BY :  
JET STREAM AVIATION PRODUCTS, INC  
7515 LEMMON AVE, BLDG J  
DALLAS, TX 75209

PRODUCT INFORMATION: 214-351-3400  
DATE OF ISSUE: January 1, 2009

**PRODUCT IDENTIFICATION /**

PRODUCT NAME: **SUPREME GLAZE**  
PRODUCT TYPE: SEMI-FLOWING PASTE WAX

**HAZARDOUS INGREDIENTS /**

| HAZARDOUS CHEMICAL NAME: | % IN PRODUCT | PEL/OSHA     | TLV-ACGIH     | CAS #      | CARCINOGEN |
|--------------------------|--------------|--------------|---------------|------------|------------|
| MINERAL SPIRITS          | 30-60        | 500ppm       | 100ppm        | 8052-41-3  | N/E        |
| KAOLIN (DUST)            | 3-7          | 1 mg/Cubic M | 1 mg/cubic M  | 66402-68-4 | N/E        |
| DIATOMACEOUS EARTH       | 7-13         | 1mg/Cubic M  | 1 mg/Cubic M  | 68855-54-9 | N/E        |
| GLYCERINE                | 1-5          | N/E          | 10 mg/Cubic M | 56-81-5    | N/E        |

**PHYSICAL DATA /**

BOILING POINT: >212F      SPECIFIC GRAVITY: 1.15      VAPOR PRESSURE: 1.5      VOLATILES: 82%      VAPOR DENSITY: N/E  
SOLUBILITY: DISPERSIBLE      EVAPORATION RATE: 1/10 ETHER  
APPEARANCE AND ODOR: BLUE COLOR. MINERAL SPIRIT ODOR.

**FIRE AND EXPLOSION DATA /**

NFPA CODES:      HEALTH: 1      FLAMMABILITY: 1      REACTIVITY: 0      FLASH POINT: 275F

**EXTINGUISHING MEDIA:** REGULAR FOAM, WATERFOG, CARBON DIOXIDE, OR DRY CHEMICALS.

**HAZARDOUS DECOMPOSITION:** OXIDES OF CARBON OR TRACES OF HYDROCARBONS MAY BE FORMED IN SMALL AMOUNTS.

**SPECIAL FIRE FIGHTING PROCEDURES:** CLEAR FIRE AREA OF PERSONNEL. DO NOT ENTER CONFINED FIRE AREA WITHOUT FULL BUNKER GEAR AND POSITIVE PRESSURE BREATHING APPARATUS.

**UNUSUAL FIRE/EXPLOSION HAZARDS:** NL

**HEALTH HAZARD DATA /**

PERMISSIBLE EXPOSURE LEVEL, SEE SECTION 2 UNDER PEL/OSH

**EFFECTS OF OVEREXPOSURE:** (ACUTE/CHRONIC)

**EYES:** CAN CAUSE IRRITATION, REDNESS, TEARING AND BLURRED VISION.

**SKIN:** PROLONGED OR REPEATED EXPOSURE CAN CAUSE MODERATE IRRITATION, DEFATTING OF THE SKIN OR DERMATITIS.

**INHALATION:** HEADACHE, NASAL AND RESPIRATORY IRRITATION, NAUSEA AND DROWSINESS.

**INGESTION:** GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING, AND SIGNS OF NERVOUS SYSTEM DEPRESSION.

FIRST AID PROCEDURES: **EYES:** WASH IMMEDIATELY WITH LARGE AMOUNTS OF WATER. GET MEDICAL ATTENTION IMMEDIATELY. DO NOT USE CONTACT LENSES WHILE USING THIS PRODUCT. **SKIN:** WASH CONTACTED AREAS WITH MILD SOAP AND WATER. **INHALATION:** MOVE PERSON TO FRESH AIR AT ONCE. IF BREATHING HAS STOPPED, GET IMMEDIATE MEDICAL ATTENTION. **INGESTION:** DO NOT INDUCE VOMITING. IF PERSON IS CONSCIOUS, GIVE WATER. GET MEDICAL ATTENTION.

**PRIMARY ROUTES OF ENTRY:** INHALATION, EYES.

**REACTIVITY /**

INCOMPATIBILITY: STRONG OXIDIZING AGENTS OR ACID.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR.

STABILITY: STABLE

**SPILL OR LEAK PROCEDURES /**

REMOVE ALL SOURCES OF IGNITION. VENTILATE AREA. ABSORB WITH AN INERT ABSORBENT MATERIAL. ALL USED AND UNUSED PRODUCT SHOULD BE DISPOSED OF IN CONFORMANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

**PROTECTIVE EQUIPMENT TO BE USED /**

IF PEL OR TLV LIMITS, LISTED IN SECTION 2, ARE EXCEEDED A NIOSH/OSHA APPROVED AIR RESPIRATOR IS ADVISED. THESE RESPIRATORS SHOULD NOT BE USED FOR AN EXTENDED PERIOD OF TIME. A DUST MASK SHOULD BE USED WHEN USING A BUFFING MACHINE. HIGH SPEEDS OF BUFFING MACHINES THROW CHEMICAL DUST INTO THE AIR.

SUFFICIENT MECHANICAL VENTILATION SHOULD BE USED TO MAINTAIN EXPOSURE LEVELS BELOW PEL AND TLV LIMITS IN SECTION 2.

**MATERIAL SAFETY DATA SHEET**

PRODUCT: **SUPREME GLAZE**  
JET STREAM AVIATION PRODUCTS, INC  
FOR CHEMICAL EMERGENCY CALL INFOTRAC: 1-800-535-5035

---

**PROTECTIVE EQUIPMENT TO BE USED CONTINUED FROM PAGE 1 /**

CHEMICAL RESISTANT GLOVES ARE ALWAYS RECOMMENDED AS SOME CHEMICALS MAY NOT ONLY DO DAMAGE TO THE SKIN BUT MAY ALSO BE A THREAT THROUGH ABSORPTION.

CHEMICAL RESISTANT SPLASH GOGGLES ARE RECOMMENDED WHEN USING LIQUID CHEMICALS, OR USING A HIGH SPEED BUFFING MACHINE.

---

**SPECIAL PRECAUTIONS /**

STORE MATERIALS IN A COOL DRY PLACE AWAY FROM HEAT AND OPEN FLAME. CLOTHING BEING USED AROUND CHEMICALS SHOULD BE CLEANED DAILY. NEVER WELD ON OR NEAR CONTAINERS EITHER EMPTY OR FULL. SECURE ALL CHEMICALS OUT OF REACH OF CHILDREN. USE PROPER SAFETY EQUIPMENT AT ALL TIMES.

---

**DISCLAIMER OF LIABILITY**

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESSED OR IMPLIED, REGARDING ITS CORRECTNESS. THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE AND DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT.